1994 Index

A

ABAQUS computer code, 289–303
Aerosol particles, 387
Aerosol science, 387–388
Aerosols. *see also* Solid particle aerosol fire suppressants
  concepts of, 388
  dynamics of, 388–389
  performance in warehouse storage, 446–449
Air conditioning, effect on smoke alarms of, 259–265
Air flow, positive pressure ventilation to increase, 269–277
Airborne smoke sampling package (ASSP), 155–172
  experimental equipment, 156–158
  field experiments, 166—169
  laboratory tests, 161–166
  particle size distribution, 169–170
  smoke yield, 158–169
Aircraft, remote control, for smoke sampling field tests, 156–158
Alarm devices, 342
Alarm systems, cost-benefits of, 470, 473–475
Alarms, false. *see* False alarms
Analytic hierarchy process (AHP), 231–232, 237–239, 242–243, 245–247. *see also* Modified analytic hierarchy process (MAHP)
Appreciation to Referees, 183
Area-controlled fires, 306, 310
ASKFRS computer program, 305
ASSP. *see* Airborne smoke sampling package (ASSP)
ASTM E-119, 195–196, 201, 205–206
ASTM *Fire Test Standards,* 282–283
ASTM publications, 282–283

B

Babrauskas, Vytenis, 479
Balloons, for smoke sampling field tests, 156
Behavioral rehearsal for fire emergencies, 432, 434, 437–438, 440, 442–443
Bigglestone (Harry C.) Award, 288
Book Review, 376
BRANDFORSK, 374–375
Brick, 376–377
British Standards Institute (BSI), 368, 371
Brownian diffusion of aerosols, 388, 389
Brushlinsky, N. N., 458
BS5750/ISO9000, 369, 372
Building authorities, 366, 367, 370
Building codes and standards
  cost-benefits of, 470, 474, 475
  performance-based, 385
  scientifically-based, 278–280
Building materials, 376–377
Building security systems
  computer-vision/fuzzy-logic based, 341, 344–354
  conventional, 342–344
Buildings. *see also* Fire safety engineering
  fire and life safety designs for, 278–280
  fire precautions in, 285

C

CALFIRE computer program, 304–325
  application to hazard estimation, 317–321
  fire scenarios in, 306–310
  flame height, 313–314, 317, 321
  heat release rate in, 304–310, 313, 317–321, 478
  menu, 310–313
Carbon dioxide extinguishers, 398
Ceiling panels, burning characteristics of, 453–456
Chan, W. L., 341
Chaos, degree of, 353–354
Charters, David A., 134
Chemical inhibition of fires, 390–391
Chemicals, flame-retardant, 186–187
Children, fire emergency training for. *see* Rehearsal-plus approach to fire emergencies
Chimney-sweeping, cost-benefits of, 468, 470, 474, 475
Cigarette fires, cigarette and smoker characteristics related to, 400–431
  characteristics, analysis of, 403–405
  complete fire risk model, 416–417
  data collection methods, 405–407, 423–429
  deaths/injuries due to fires, 429
  elements resulting in fire, 401–402
  filtered cigarettes, 400, 419, 420, 423
  interaction terms, 420–423
  logistic regression model, 414–416
  primary concise fire risk model, 417–420
  sensitivity analysis, 423–429
Cleary, T. G., 209
Closed rooms, fires in, 311–312
Codes and standards. *see* Building codes and standards
Combustion, heat of, 446
Compact mobile shelving units, sprinkler protection of, 98–133
  design criteria, 129–132
  fire scenario, 105–106
  full-scale tests, 112–128
  modifications of units, 130–131
  smoke production, 129
  spray distribution tests, 109–110
  sprinkler layouts, 106–108
  sprinkler response times, 110–111
  test facility for, 102–105
Computer programs
  ABAQUS code, 289–303
  ASKFRS, 305
  CALFIRE. *see* CALFIRE computer program
  egress from residential buildings, 338–340
  FASIT (Fire growth And Smoke movement In Tunnels), 134–154
  fire detection system vision, 341–356
  Fireform fire safety computations, 305
  FIRES-T3 heat transfer model, 176–178
  FPETOOL, 305
  fuzzy experts systems, 267–268
  HAZARD I, 338
  PATHOS 2, 173–178
  security system vision, 341–356
  smoke particulate deposition, 155
  smoke plume dispersion, 155
  SUPER-TASEF, 292–302
  TASEF. *see* TASEF (Temperature Analysis of Structures Exposed to Fire) code
  wildland fires, 289–290
Concrete, 287, 293–302
Condensation aerosols, 388
Conference Report, 382

1994 Index

A

ABAQUS computer code, 289–303
Aerosol particles, 387
Aerosol science, 387–388
Aerosols. *see also* Solid particle aerosol fire suppressants
  concepts of, 388
  dynamics of, 388–389
  performance in warehouse storage, 446–449
Air conditioning, effect on smoke alarms of, 259–265
Air flow, positive pressure ventilation to increase, 269–277
Airborne smoke sampling package (ASSP), 155–172
  experimental equipment, 156–158
  field experiments, 166—169
  laboratory tests, 161–166
  particle size distribution, 169–170
  smoke yield, 158–169
Aircraft, remote control, for smoke sampling field tests, 156–158
Alarm devices, 342
Alarm systems, cost-benefits of, 470, 473–475
Alarms, false. *see* False alarms
Analytic hierarchy process (AHP), 231–232, 237–239, 242–243, 245–247. *see also* Modified analytic hierarchy process (MAHP)
Appreciation to Referees, 183
Area-controlled fires, 306, 310
ASKFRS computer program, 305
ASSP. *see* Airborne smoke sampling package (ASSP)
ASTM E-119, 195–196, 201, 205–206
ASTM *Fire Test Standards,* 282–283
ASTM publications, 282–283

B

Babrauskas, Vytenis, 479
Balloons, for smoke sampling field tests, 156
Behavioral rehearsal for fire emergencies, 432, 434, 437–438, 440, 442–443
Bigglestone (Harry C.) Award, 288
Book Review, 376
BRANDFORSK, 374–375
Brick, 376–377
British Standards Institute (BSI), 368, 371
Brownian diffusion of aerosols, 388, 389
Brushlinsky, N. N., 458
BS5750/ISO9000, 369, 372
Building authorities, 366, 367, 370
Building codes and standards
  cost-benefits of, 470, 474, 475
  performance-based, 385
  scientifically-based, 278–280
Building materials, 376–377
Building security systems
  computer-vision/fuzzy-logic based, 341, 344–354
  conventional, 342–344
Buildings. *see also* Fire safety engineering
  fire and life safety designs for, 278–280
  fire precautions in, 285

C

CALFIRE computer program, 304–325
  application to hazard estimation, 317–321
  fire scenarios in, 306–310
  flame height, 313–314, 317, 321
  heat release rate in, 304–310, 313, 317–321, 478
  menu, 310–313
Carbon dioxide extinguishers, 398
Ceiling panels, burning characteristics of, 453–456
Chan, W. L., 341
Chaos, degree of, 353–354
Charters, David A., 134
Chemical inhibition of fires, 390–391
Chemicals, flame-retardant, 186–187
Children, fire emergency training for. *see* Rehearsal-plus approach to fire emergencies
Chimney-sweeping, cost-benefits of, 468, 470, 474, 475
Cigarette fires, cigarette and smoker characteristics related to, 400–431
  characteristics, analysis of, 403–405
  complete fire risk model, 416–417
  data collection methods, 405–407, 423–429
  deaths/injuries due to fires, 429
  elements resulting in fire, 401–402
  filtered cigarettes, 400, 419, 420, 423
  interaction terms, 420–423
  logistic regression model, 414–416
  primary concise fire risk model, 417–420
  sensitivity analysis, 423–429
Cleary, T. G., 209
Closed rooms, fires in, 311–312
Codes and standards. *see* Building codes and standards
Combustion, heat of, 446
Compact mobile shelving units, sprinkler protection of, 98–133
  design criteria, 129–132
  fire scenario, 105–106
  full-scale tests, 112–128
  modifications of units, 130–131
  smoke production, 129
  spray distribution tests, 109–110
  sprinkler layouts, 106–108
  sprinkler response times, 110–111
  test facility for, 102–105
Computer programs
  ABAQUS code, 289–303
  ASKFRS, 305
  CALFIRE. *see* CALFIRE computer program
  egress from residential buildings, 338–340
  FASIT (Fire growth And Smoke movement In Tunnels), 134–154
  fire detection system vision, 341–356
  Fireform fire safety computations, 305
  FIRES-T3 heat transfer model, 176–178
  FPETOOL, 305
  fuzzy experts systems, 267–268
  HAZARD I, 338
  PATHOS 2, 173–178
  security system vision, 341–356
  smoke particulate deposition, 155
  smoke plume dispersion, 155
  SUPER-TASEF, 292–302
  TASEF. *see* TASEF (Temperature Analysis of Structures Exposed to Fire) code
  wildland fires, 289–290
Concrete, 287, 293–302
Condensation aerosols, 388
Conference Report, 382

Convection heat, 195–196, 198–200, 293–295, 299, 311
Conveyor belts, fire propagation hazard of, 452–453
Corner fires, 209, 222–225, 228
Cost-benefit analysis, fire safety, 468–477
Critical heat flux, 445
Crude oil fires, 155, 162–163, 166–171
Current Research, 269, 374

D

Dierdorf, Douglas, 387
Dispersion aerosols, 388–389
Documents, storage of. *see* Compact mobile shelving units, sprinkler protection of
Dodd, F. J., 232
Donegan, H. A., 232
Dry chemical extinguishants, 391–393, 398

E

Early detection, 328
Economics of fire technology, 468–477
Egress, 310, 338–340
Electrical cables, fire performance of, 450–452
Electronic emergency systems, 338
Enclosures, PATHOS program on fire exposure effect on, 173–178
Evacuation, training children for. *see* Rehearsal-plus approach to fire emergencies

F

Fahy, Rita F., 400
False alarms, reduction of, 250–268
  dual information used for, 250–252, 254–258, 265–268
  fuzzy logic used for, 250–253, 259–268
False alarms, to evaluate detection systems, 326–330, 334, 337
FASIT program, 134–154
Fear Inventory for Fire Safety (FIFS), 434–436
Fear of fires, 432, 433, 434–436, 439–440
Field tests
  crude oil fires, 155, 166–171
  FLOW 3D tunnel model, 151
Filtered cigarettes, 400, 419, 420, 423
Fire authorities, 366, 367, 370
Fire brigades, 470, 474–475
Fire calculations, CALFIRE model for, 304–325
Fire detection systems
  automatic, 281–282
  CALFIRE calculation of response, 315–316
  computer-vision/fuzzy-logic based, 341, 344–354
  conventional, 343–344
  performance parameters of, 326–337
  reduction of false alarms, 250, 268. *see also* False alarms, reduction of
  requirements, 327–328
  response time, 328–330, 337
  value of response by, 327, 335–337
Fire detectors. *see also* Ionization smoke detectors
  morphological description of, 251–252
Fire dynamics, 377
Fire emergencies, rehearsal-plus approach to. *see* Rehearsal-plus approach to fire emergencies
Fire extinguishers, cost-benefit analysis of, 468, 470, 472, 475
Fire fighting, positive pressure ventilation as aid to, 269–271
Fire hazards
  CALFIRE determination of, 317–321
  fire risk assessment and, 283
  in tunnels, 134–154
Fire investigation, World Trade Center, New York, bombing, 187
Fire litigation sourcebook, 287
Fire models. *see also* Computer programs; Fire simulations
  cigarette fire risk, 416–420
  fire and life safety factors, 280
  fire risk ranking model, 232
  FLOW 3D tunnel model, 151
  heat release rate quantified in, 478–479
Fire performance of materials, 281
Fire prevention, in buildings, 285
Fire propagation
  conveyor belts, 452–453
  electrical cables, 451–452
  factors of, 390
  material flammability properties, effect of, 446
Fire propagation index, 451–453
Fire protection engineering, 278–280
Fire research, 188
  Fire Research Laboratory (India), 374
  FORUM for International Cooperation on Fire Research, 357–365
  Swedish Fire Research Board, 374–375
Fire resistance tests, plate thermometers used for, 195–208
Fire retardant coatings, handbook of, 286
Fire risk assessment
  of cigarette use, 401–403, 416–420
  fire hazards and, 283
  ranking model, 232
Fire Safe Cigarette Act of 1990, 401
Fire safety
  emergency training for children. *see* Rehearsal-plus approach to fire emergencies
  Fireform computation program, 305
  of passenger trains, 284–285
Fire safety design, 286–287
Fire Safety Design & Concrete, 376–377
Fire safety education, cost-benefits of, 470, 475
Fire safety engineering, 278–280, 358–360, 363–364
  client group, 372
  macro quality assurance system for, 366–373
Fire safety equipment, quality assurance for, 366–373
Fire safety evaluation (FSE)
  analytic hierarchy process (AHP), 231–232, 237–239, 242–243, 245–247
  comparison of results, 244–246
  Edinburgh approach, 232–236
  hierarchical cross-impact analysis (HCIA), 232–233, 236–237, 242–243
  methodology, 350–363
  modified analytic hierarchy process (MAHP), 233, 240–242, 244–247
  prioritisation methodologies, 231–249
Fire safety management, 360
Fire safety science, 281, 382–383
Fire science, 186, 188
Fire simulations, 289. *see also* Computer programs; Fire models
  electric cable fire propagation, 451–452

positive pressure ventilation, 269–270, 272–276
Fire statistics, Russia, 1993, 458–467
Fire suppression aerosols, 389–390. *see also* Solid particle aerosol fire suppressants
Fire technology, economics of, 468–477
Fire Test Standards, ASTM, 282–283
Fire testing services, handbook of, 286
Fire tests
aerosol storage, fire hazards of, 448–449
building material tests, costs of, 456
compact mobile shelving units, sprinkler protection of, 109–110, 112–128
corner test, wall/ceiling panels, 453–456
electrical cables, 451–452
fire resistance, plate thermometers used in, 195–208
hydraulic fluids, in a spray fire, 449–450
positive pressure ventilation, 269–277
problems of, 289
solid particulate fire suppression aerosols, 393–395
tunnel fire, 149–151
Firefighters, positive pressure ventilation technique training for, 269, 271–272, 275–276
Fires
area-controlled fires, 306, 310
fear of. *see* Fear of fires
field measurement of, ASSP for. *see* Airborne smoke sampling package (ASSP)
forced-ventilated fires, 306, 309–312, 318
human behavior in, 285–286
naturally ventilated fires, 306–309, 311
pool fires, 306, 310, 320–321
smoke yield, airborne smoke sample package to determine, 155–172
FIRES-T3 heat transfer model, 176–178
Flame-retardant polymers and chemicals, 186–187
Flames
heat flux to vertical surfaces from. *see* Heat flux, from flames to vertical surfaces
height as heat release rate measure, 313
reversal by positive pressure ventilation, 269, 271–272, 276
Flammability, 445–457, 282
Flash points, manual on standards and their use, 283
Flashover, 269, 276, 310
FLOW 3D tunnel fire model, 151
Forced-ventilated fires, 306, 309–310, 318
FORUM for International Cooperation on Fire Research, 357–365
FPETOOL computer program, 305
Fumes, as aerosols, 388
Furnaces, test
heat conditions, variance in, 195–198
inadequate temperature measurements in, 201–206
lining of, 198
measurement of heat transfer in, 195–208
Fuzzy environment, 231
Fuzzy experts systems, 267–268
Fuzzy logic
applied to smoke detectors, 250–253, 259–268
for fire detection and security systems, 341–356

G

Gas temperature, 20, 198–199
Gaseous extinguishants, 395
Gasification, heat of, 446
Government, 366, 367–368
Gray, W. Alan, 134
Greek Fire, 384
Griffith, Alan, 366
Gunnerson, F. S., 269
Gupta, A. K., 304
Gypsum, 376–377

H

Hagen, Bjarne C., 173
Hall, John R., Jr., 400
Halon 1301, 387, 395
Harmathy, Tibor Z., 376
Harwood, Beatrice, 400
Hazards in tunnels, fire
FASIT computer model for assessment of, 134–154
FLOW 3D model for assessment of, 151
Health-care facilities, cost-benefit of sprinklers in, 468, 473, 475
Heat damage, effect of positive pressure ventilation on, 269–272, 276
Heat flux, critical, 445
Heat flux, from flames to vertical surfaces, 209–231
analysis of cases, 212–228
line fire, 209, 210–211, 212–218, 228
square burner flame fires, 209, 212, 218–225
theoretical basis for analysis, 210–212
window flames, 209–210, 211, 225–228
Heat release rate (HRR)
factors in, 446
quantification for fire models, 478–479
Heat release rate (HRR) in CALFIRE model, 304–310, 313, 317–321, 478–479
Heat transfer. *see also* Convection heat; Heat flux, from flames to vertical surfaces; Radiant heat
in fire-exposed structural assemblies, PATHOS 2 program, 173–178
to structural members, 293–302
Heated air expansion, simulation of, 269–270, 272–276
Hierarchal cross-impact analysis (HCIA), 232–233, 236–237, 242–247
Hierarchal fire safety analysis. *see* Fire safety evaluation (FSE)
Horizontal sidewall sprinklers. *see* Sprinklers
Hospitals, fire safety in, 232–236
Hot layer properties, 311–312, 319
Hotels, cost-benefit of sprinklers in, 468, 473, 475
How Sure Are We, 97
Human behavior in fires, 285–286
Hydrants, cost-benefits of, 468, 475
Hydraulic fluids, in a spray fire, 449–450

I

Image processing, 341
India Fire Research Laboratory, 374
Inert-faced thermoset materials, 455
Insurers, 366, 367, 368–369
Ionization smoke detectors
reduction of false alarms. *see* False alarms, reduction of
sensors, 250, 251, 253–258
signal processing, 250, 251
testing, 267
Is This Your Personal Copy?, 193

ISO 834, 195–198, 200–201, 205–206
ISO 9000, 369, 372

J

James, Russell T., 432
Juås, Birgitta, 468

K

Karter, Michael J., Jr., 400
Kibert, Charles J., 387
Kissinger, Terry, 400
Kolomietz, Yu. I., 458
Korobko, V. B., 458
Koseki, Hiroshi, 155
Kostreva, Michael M., 338
Kuwait oil fires, testing of, 171

L

Large fires, airborne smoke sample package to determine smoke yield of, 155–172
Lawson, J. Randall, 155
Life safety, scientifically based designs for, 278–280
Limited-water-supply sprinklers for manufactured homes, 179–182
Line fires, flame heat flux analysis of, 209, 210–211, 212–218, 228
Liquid particulate aerosols, 387, 388
Los Angeles Residential Program (LARP), 179, 181
Lougheed, G. D., 98

M

Maclean, Norman, 289
Manufactured homes, sprinklers for, 179–182
Manufacturing plants, cost-benefit of fire safety equipment in, 468, 473–474, 475
Marchant, Eric, 366
Material science, 376–377
Materials
  fire performance of, 281
  flammability and sensitivity in oxygen-enriched atmospheres, 282
  flammability evaluations, technological breakthroughs in, 445–457
Mattston, Bengt, 468
Mawhinney, J. R., 98
McIntosh, Andrew C., 134
Milke, James A., 173, 376
Miller, Alison L., 400
Minimax ratio (MR), 244–245
Mobile compact shelving units, sprinkler protection of. *see* Compact mobile shelving units, sprinkler protection of
Mobile homes, sprinklers in, 179–182
Modified analytic hierarchy process (MAHP), 233, 240–242
Mulholland, George W., 155
Multi-zone fire conditions, in tunnels, 136, 142, 147, 151

N

National Archives/National Library of Canada, sprinkler protection for, 98–133
National Fire Protection Research Foundation, 288
Naturally ventilated fires, 306–309
Newman, Jeffrey S., 445
News and Meetings, 186, 281, 379
Newspapers, storage of, 102, 130–131
NFPA, 187
NFPA 13, 106
NIST, 189–190, 284, 338, 380–382

O

O'Neill, J., 98
Optical flow analysis, 349, 351–353
Oxygen dilution of fires, 390
Oxygen-enriched atmospheres, flammability and sensitivity of materials in, 282

P

Palm, Jonas, 291
Particle mechanics, 387–388
Particulates, 388. *see also* Solid particle aerosol fire suppressants
Patch searching algorithm, 350–351
Pendant sprinklers
  on-off, 104–110, 115–120
  quick-response, 110, 120–123
Performance-Based Codes, 385
Plaster, 376–377
Plate thermometers
  calibration elements tested with, 206–207
  description of, 196
  for fire resistance tests, 195–208
  use of, 197
Polycyclic aromatic hydrocarbons (PAHs), 155, 158, 171
Polymers, flame-retardant, 186–187
Pool fires, 155, 161, 306, 310, 320–321
Portable fire extinguishers, cost-benefit analysis of, 468, 470, 472, 475
Positive pressure ventilation, 269–277
Prioritisation methodologies in fire safety evaluation, 232–249
Professional groups, 366, 368, 371
Pump water supplies, cost-benefits of, 468, 470, 475

Q

Quality assurance, fire safety equipment, 366–373
Quality certification bodies, 366, 367, 369, 372
Quick-response sprinklers, 99, 106–111, 120–128, 131–132
Quintiere, J. G., 209

R

Radiant heat, 195–196, 198–205, 293, 299, 311
Radiation temperature, 201–205
Railroads, fire safety of passengers, 284–285
Randall, Jeff, 432
Rehearsal-plus approach to fire emergencies, 432–444
  assessment methods and measures, 434–436
  data analysis, 438–439
  description of, 433–434
  test procedures, 436
  training methods, 437–438, 442–444
Residences
  cost-benefit of fire safety equipment in, 468, 472–473, 475
  egress from, mathematical modeling of, 338–340
Room fires, 305
Russia, fire statistics, 1993, 458–467

S

Security systems, computer-vision-based, fuzzy-logic-aided, 341–356
Sensitivity analysis, 423–429
SFE fire suppressant, 393–398
Shapiro, Jeffrey M., 278
Shelving units, sprinkler protection for mobile, 98–133
Sidewall sprinklers. *see* Sprinklers
Signal processing, 250, 251

Smith, Richard Lee, 326
Smoke, 283, 269–277
Smoke aerosols, 158–159
Smoke detectors
  cost-benefit analysis, 468, 470, 472, 475
  ionization. *see* Ionization smoke detectors
Smoke movement, in tunnels, 136–137, 148
Smoke particulates, 155, 160, 169–171
Smoke plume
  large fires, airborne sampling package for, 155–171
  tunnel fires, 134, 137–140, 147, 151
Smoke production, document storage tests, 129
Smoke yield, airborne smoke sample package to determine, 155–172
Smoker characteristics. *see* Cigarette fires, cigarette and smoker characteristics related to
Snell, Jack E., 357
So, Albert T. P., 341
Software Review, 173
Sokolov, S. V., 458
Solid particle aerosol fire suppressants, 387–399
  applications, 397–398
  combustion products/results of, 390, 391
  description, 387–390
  extinguishment mechanisms, 390–393
  generation of, 389
  test results, 393–395
  thermal characteristics, 397
  toxicity, 395–397
Sprinkler systems
  CALFIRE calculation of response, 315–316, 321
  cost-benefit analysis of, 468, 470, 472–473, 475
Sprinklers. *See also* quick-response sprinklers
  horizontal sidewall, 106–114, 123–128, 131–132
  limited-water-supply, for manufactured homes, 179–182
  for mobile shelving units, 98–133
  on-off pendant sprinklers, 115–120
  on-off sprinklers pendant sprinklers, 104–110
Square burner flame fires, 209, 212, 218–225, 228
Standards. *see also* Building codes and standards
  in international marketplace, 188
Steel, fire safety of, 376–377
Stokes' Law, 388–389
Storage
  aerosol performance in warehouses, 446–449
  sprinkler protection of mobile shelving unit. *see* Compact mobile shelving units, sprinkler protection of
Structural fire protection, 376–377
Structural members
  PATHOS program on fire exposure effect on, 173–178
  thermal analysis of, 293–302
SUPER-TASEF code, 292–302
Survivability of fires, positive pressure ventilation to aid, 269–277
Swedish Fire Research Board, 374–375

T

Tanker vehicles, cost-benefits of, 468, 475
TASEF (Temperature Analysis of Structures Exposed to Fire) code, 199, 205, 292–302
Technical Notes, 250, 304, 326, 338, 341, 445, 458, 468
Technology transfer, 359
Temperatures
  enclosure fires, 310
  furnace gas, 20, 198–199
  lowering by positive pressure ventilation, 269–272, 276
  radiation, 201–205
Thermal analysis, with ABAQUS code, 293–295
Thermal cooling of fires, 390, 391–393
Thermal response parameter (TRP), 445–446
Thermocouples
  for fire resistance tests, 195–196, 199, 201, 205–207
  sprinkler fire tests, 112–115
  to test smoke plume temperatures in ASSP test, 158, 162
Thermometers, 200. *see also* Plate thermometers
Thermoset materials, inert-faced, 455
Threshold detectors, 326–337
Thuillard, M., 250
Toxic gases, removal by positive pressure ventilation, 269–272, 276
Trade groups, 366, 367, 371
Training of firefighters, in positive pressure ventilation technique, 269, 271–272, 275–276
Transmission electron microscope (TEM), 154, 158, 169–171
Tunnels
  FASIT computer model to assess fire hazards in, 134–154
  FLOW 3D model to assess fire hazards in, 151

U

Underwater fire simulations, 269–270, 272–276

V

Ventilation, positive pressure, 269–277
Venting areas, fire, 314–315, 321
Vertical surfaces, heat flux from flames to. *see* Heat flux, from flames to vertical surfaces
Viewpoint, 278, 357, 366
Visibility
  effect of aerosols on, 388
  improvement by positive pressure ventilation, 269–272, 276

W

Wall fires. *see* Line fires; Square burner flame fires
Wall/ceiling panels, burning characteristics of, 453–456
Water condensation, in smoke alarms, 254–257
Water supplies, cost-benefits of, 468, 470, 475
Water-cooled aerosol generators, 397
Watts, John M., 97, 193, 289, 385
Wickström, Ulf, 195
Wildland firefighting, 289–290
Williams, S. K., 269
Wind, effect on smoke alarms of, 257–265
Window flames, 209–210, 211, 225–228
Wood, 376–377
World Trade Center, New York, bombing of, 187

X

Xiao, Xuefeng, 366

Y

Young Men and Fire (book), 289
Young Men and Women and Fire, 289

Z

Ziesler, P. S., 269